

FAMRI CENTER OF EXCELLENCE AT THE WEIZMANN INSTITUTE OF SCIENCE: CARE

FAMRI SUPPORTED RESEARCH

PUBLICATIONS

Adar S, Izhar L, Hendel A, Geacintov N, Livneh Z. Repair of gaps opposite lesions by homologous recombination in mammalian cells. *Nucleic Acids Res.* 2009;37(17):5737-5748.

Adar S, Livneh Z. Translesion DNA synthesis across non-DNA segments in cultured human cells. *DNA Repair (Amst).* 2006;5(4):479-490.

Adi Harel S, Bossel Ben-Moshe N, Aylon Y, Bublik DR, Moskovits N, Toperoff G, Azaiza D, Biagoni F, Fuchs G, Wilder S, Hellman A, Blandino G, Domany E, Oren M. Reactivation of epigenetically silenced miR-512 and miR-373 sensitizes lung cancer cells to cisplatin and restricts tumor growth. *Cell Death Differ.* 2015;22(8):1328-1340.

Aguilera-Castrejon A, Hanna JH. Ex Utero Culture of Mouse Embryos from Pregastrulation to Advanced Organogenesis. *J Vis Exp.* 2021(176).

Aguilera-Castrejon A, Oldak B, Shani T, Ghanem N, Itzkovich C, Slomovich S, Tarazi S, Bayerl J, Chugaeva V, Ayyash M, Ashoukhi S, Sheban D, Livnat N, Lasman L, Viukov S, Zerbib M, Addadi Y, Rais Y, Cheng S, Stelzer Y, Keren-Shaul H, Shlomo R, Massarwa R, Novershtern N, Maza I, Hanna JH. Ex utero mouse embryogenesis from pre-gastrulation to late organogenesis. *Nature.* 2021;593(7857):119-124.

Alon R. A Sweet Solution: Glycolysis-Dependent Treg Cell Migration. *Immunity.* 2017;47(5):805-807.

Alon R, Feigelson SW. Chemokine-triggered leukocyte arrest: force-regulated bi-directional integrin activation in quantal adhesive contacts. *Curr Opin Cell Biol.* 2012;24(5):670-676.

Alon R, Shulman Z. Chemokine triggered integrin activation and actin remodeling events guiding lymphocyte migration across vascular barriers. *Exp Cell Res.* 2011;317(5):632-641.

Alon R, van Buul JD. Leukocyte Breaching of Endothelial Barriers: The Actin Link. *Trends Immunol.* 2017;38(8):606-615.

Aloni-Grinstein R, Charni-Natan M, Solomon H, Rotter V. p53 and the Viral Connection: Back into the Future (double dagger). *Cancers (Basel).* 2018;10(6).

Aloni-Grinstein R, Stine Y, Rotter V. Influenza A virus and p53: Can the two walk together? A Commentary on "p53 and the viral connection: back into the future" [commentary]. *J Lung Heal Dis.* 2020;4:1-4.

Arad G, Hendel A, Urbanke C, Curth U, Livneh Z. Single-stranded DNA-binding protein recruits DNA polymerase V to primer termini on RecA-coated DNA. *J Biol Chem.* 2008;283(13):8274-8282.

Ashur-Fabian O, Har-Zahav A, Shaish A, Wiener Amram H, Margalit O, Weizer-Stern O, Dominissini D, Harats D, Amariglio N, Rechavi G. apoB and apobec1, two genes key to lipid metabolism, are transcriptionally regulated by p53. *Cell Cycle*. 2010;9(18):3761-3770.

Ashur-Fabian O, Yerushalmi GM, Mazaki-Tovi S, Steinberg DM, Goldshtein I, Yackobovitch-Gavan M, Schiff E, Amariglio N, Rechavi G. Cell free expression of hif1alpha and p21 in maternal peripheral blood as a marker for preeclampsia and fetal growth restriction. *PLoS One*. 2012;7(5):e37273.

Avkin S, Sevilya Z, Toubé L, Geacintov N, Chaney SG, Oren M, Livneh Z. p53 and p21 regulate error-prone DNA repair to yield a lower mutation load. *Mol Cell*. 2006;22(3):407-413.

Aylon Y, Oren M. p53: guardian of ploidy. *Mol Oncol*. 2011;5(4):315-323.

Aylon Y, Oren M. New plays in the p53 theater. *Curr Opin Genet Dev*. 2011;21(1):86-92.

Aylon Y, Sarver A, Tovy A, Ainbinder E, Oren M. Lats2 is critical for the pluripotency and proper differentiation of stem cells. *Cell Death Differ*. 2014;21(4):624-633.

Bahar-Shany K, Brand H, Sapoznik S, Jacob-Hirsch J, Yung Y, Korach J, Perri T, Cohen Y, Hourvitz A, Levanon K. Exposure of fallopian tube epithelium to follicular fluid mimics carcinogenic changes in precursor lesions of serous papillary carcinoma. *Gynecol Oncol*. 2014;132(2):322-327.

Bar J, Damianovich M, Hout Siloni G, Dar E, Cohen Y, Perelman M, Ben Nun A, Simansky D, Yellin A, Urban D, Onn A. Genetic mutation screen in early non--small-cell lung cancer (NSCLC) specimens. *Clin Lung Cancer*. 2014;15(2):159-165.

Bar J, Damianovich M, Hout Siloni G, Dar E, Cohen Y, Zadok O, Cohen Y, Perelman M, Barshack I, Yarden RI, Simansky D, Ben Nun A, Onn A. Evaluation of EGFR, KRAS and TP53 mutations as predictive of disease recurrence in resected early non-small cell lung carcinomas (NSCLC). *MEMO*. 2014;7(1):10-15.

Bar J, Feniger-Barish R, Lukashchuk N, Shaham H, Moskovits N, Goldfinger N, Simansky D, Perlman M, Papa M, Yosepovich A, Rechavi G, Rotter V, Oren M. Cancer cells suppress p53 in adjacent fibroblasts. *Oncogene*. 2009;28(6):933-936.

Bar J, Moskovits N, Oren M. Involvement of stromal p53 in tumor-stroma interactions. *Semin Cell Dev Biol*. 2010;21(1):47-54.

Bar-Shai A, Alcalay Y, Sagiv A, Rotem M, Feigelson SW, Alon R, Fireman E. Fingerprint of Lung Fluid Ultrafine Particles, a Novel Marker of Acute Lung Inflammation. *Respiration*. 2015;90(1):74-84.

Barak M, Levanon EY, Eisenberg E, Paz N, Rechavi G, Church GM, Mehr R. Evidence for large diversity in the human transcriptome created by Alu RNA editing. *Nucleic Acids Res*. 2009;37(20):6905-6915.

Barzilai S, Blecher-Gonen R, Barnett-Itzhaki Z, Zauberman A, Lebel-Haziv Y, Amit I, Alon R. M-secregulates polarized secretion of inflammatory endothelial chemokines and facilitates CCL2-mediated lymphocyte transendothelial migration. *J Leukoc Biol*. 2016;99(6):1045-1055.

- Barzilai S, Yadav SK, Morrell S, Roncato F, Klein E, Stoler-Barak L, Golani O, Feigelson SW, Zemel A, Nourshargh S, Alon R. Leukocytes Breach Endothelial Barriers by Insertion of Nuclear Lobes and Disassembly of Endothelial Actin Filaments. *Cell Rep.* 2017;18(3):685-699.
- Bayerl J, Ayyash M, Shani T, Manor YS, Gafni O, Massarwa R, Kalma Y, Aguilera-Castrejon A, Zerbib M, Amir H, Sheban D, Geula S, Mor N, Weinberger L, Naveh Tassa S, Krupalnik V, Oldak B, Livnat N, Tarazi S, Tawil S, Wildschutz E, Ashoukhi S, Lasman L, Rotter V, Hanna S, Ben-Yosef D, Novershtern N, Viukov S, Hanna JH. Principles of signaling pathway modulation for enhancing human naive pluripotency induction. *Cell Stem Cell.* 2021;28(9) 1549-1565.e1512.
- Ben Moshe T, Barash H, Kang TB, Kim JC, Kovalenko A, Gross E, Schuchmann M, Abramovitch R, Galun E, Wallach D. Role of caspase-8 in hepatocyte response to infection and injury in mice. *Hepatology.* 2007;45(4):1014-1024.
- Ben Moshe T, Kang TB, Kovalenko A, Barash H, Abramovitch R, Galun E, Wallach D. Cell-autonomous and non-cell-autonomous functions of caspase-8. *Cytokine Growth Factor Rev.* 2008;19(3-4):209-217.
- Ben-Haim MS, Pinto Y, Moshitch-Moshkovitz S, HersHKovitz V, Kol N, Diamant-Levi T, Beeri MS, Amariglio N, Cohen HY, Rechavi G. Dynamic regulation of N(6),2'-O-dimethyladenosine (m(6)Am) in obesity. *Nat Commun.* 2021;12(1):7185.
- Ben-Shoshan SO, Simon AJ, Jacob-Hirsch J, Shaklai S, Paz-Yaacov N, Amariglio N, Rechavi G, Trakhtenbrot L. Induction of polyploidy by nuclear fusion mechanism upon decreased expression of the nuclear envelope protein LAP2beta in the human osteosarcoma cell line U2OS. *Mol Cytogenet.* 2014;7(1):9.
- Ber Y, Shiloh R, Gilad Y, Degani N, Bialik S, Kimchi A. DAPK2 is a novel regulator of mTORC1 activity and autophagy. *Cell Death Differ.* 2015;22(3):465-475.
- Bialik S, Berissi H, Kimchi A. A high throughput proteomics screen identifies novel substrates of death-associated protein kinase. *Mol Cell Proteomics.* 2008;7(6):1089-1098.
- Bialik S, Kimchi A. The death-associated protein kinases: structure, function, and beyond. *Annu Rev Biochem.* 2006;75:189-210.
- Bialik S, Kimchi A. Lethal weapons: DAP-kinase, autophagy and cell death: DAP-kinase regulates autophagy. *Curr Opin Cell Biol.* 2010;22(2):199-205.
- Bialik S, Kimchi A. Biochemical and functional characterization of the ROC domain of DAPK establishes a new paradigm of GTP regulation in ROCO proteins. *Biochem Soc Trans.* 2012;40(5):1052-1057.
- Bialik S, Kimchi A. The DAP-kinase interactome. *Apoptosis.* 2014;19(2):316-328.
- Bialik S, Zalckvar E, Ber Y, Rubinstein AD, Kimchi A. Systems biology analysis of programmed cell death. *Trends Biochem Sci.* 2010;35(10):556-564.
- Bornstein C, Brosh R, Molchadsky A, Madar S, Kogan-Sakin I, Goldstein I, Chakravarti D, Flores ER, Goldfinger N, Sarig R, Rotter V. SPATA18, a spermatogenesis-associated gene, is a novel transcriptional target of p53 and p63. *Mol Cell Biol.* 2011;31(8):1679-1689.

Brosh R, Rotter V. When mutants gain new powers: news from the mutant p53 field. *Nat Rev Cancer*. 2009;9(10):701-713.

Brosh R, Rotter V. Transcriptional control of the proliferation cluster by the tumor suppressor p53. *Mol Biosyst*. 2010;6(1):17-29.

Brosh R, Sarig R, Natan EB, Molchadsky A, Madar S, Bornstein C, Buganim Y, Shapira T, Goldfinger N, Paus R, Rotter V. p53-dependent transcriptional regulation of EDA2R and its involvement in chemotherapy-induced hair loss. *FEBS Lett*. 2010;584(11):2473-2477.

Brosh R, Shalgi R, Liran A, Landan G, Korotayev K, Nguyen GH, Enerly E, Johnsen H, Buganim Y, Solomon H, Goldstein I, Madar S, Goldfinger N, Borresen-Dale AL, Ginsberg D, Harris CC, Pilpel Y, Oren M, Rotter V. p53-Repressed miRNAs are involved with E2F in a feed-forward loop promoting proliferation. *Mol Syst Biol*. 2008;4:229.

Buganim Y, Goldstein I, Lipson D, Milyavsky M, Polak-Charcon S, Mardoukh C, Solomon H, Kalo E, Madar S, Brosh R, Perelman M, Navon R, Goldfinger N, Barshack I, Yakhini Z, Rotter V. A novel translocation breakpoint within the BPTF gene is associated with a pre-malignant phenotype. *PLoS One*. 2010;5(3):e9657.

Buganim Y, Madar S, Rais Y, Pomeranec L, Harel E, Solomon H, Kalo E, Goldstein I, Brosh R, Haimov O, Avivi C, Polak-Charcon S, Goldfinger N, Barshack I, Rotter V. Transcriptional activity of ATF3 in the stromal compartment of tumors promotes cancer progression. *Carcinogenesis*. 2011;32(12):1749-1757.

Buganim Y, Rotter V. p53: balancing tumour suppression and implications for the clinic. *Eur J Cancer*. 2009;45 Suppl 1:217-234.

Buganim Y, Solomon H, Rais Y, Kistner D, Nachmany I, Brait M, Madar S, Goldstein I, Kalo E, Adam N, Gordin M, Rivlin N, Kogan I, Brosh R, Sefadia-Elad G, Goldfinger N, Sidransky D, Kloog Y, Rotter V. p53 Regulates the Ras circuit to inhibit the expression of a cancer-related gene signature by various molecular pathways. *Cancer Res*. 2010;70(6):2274-2284.

Charni M, Aloni-Grinstein R, Molchadsky A, Rotter V. p53 on the crossroad between regeneration and cancer. *Cell Death Differ*. 2017;24(1):8-14.

Charni M, Molchadsky A, Goldstein I, Solomon H, Tal P, Goldfinger N, Yang P, Porat Z, Lozano G, Rotter V. Novel p53 target genes secreted by the liver are involved in non-cell-autonomous regulation. *Cell Death Differ*. 2016;23(3):509-520.

Charni-Natan M, Solomon H, Molchadsky A, Jacob-Berger A, Goldfinger N, Rotter V. Various stress stimuli rewire the profile of liver secretome in a p53-dependent manner. *Cell Death Dis*. 2018;9(6):647.

Choi J, Indrisiunaite G, DeMirci H, Jeong KW, Wang J, Petrov A, Prabhakar A, Rechavi G, Dominissini D, He C, Ehrenberg M, Puglisi JD. 2'-O-methylation in mRNA disrupts tRNA decoding during translation elongation. *Nat Struct Mol Biol*. 2018;25(3):208-216.

Cohen IS, Bar C, Paz-Elizur T, Ainbinder E, Leopold K, de Wind N, Geacintov N, Livneh Z. DNA lesion identity drives choice of damage tolerance pathway in murine cell chromosomes. *Nucleic Acids Res*. 2015;43(3):1637-1645.

Cohen SJ, Gurevich I, Feigelson SW, Petrovich E, Moser M, Shakhar G, Fassler R, Alon R. The integrin coactivator Kindlin-3 is not required for lymphocyte diapedesis. *Blood*. 2013;122(15):2609-2617.

Cohen Y, Almog R, Onn A, Itzhaki-Alfia A, Meir K. Establishing and sustaining a biorepository network in Israel: challenges and progress. *Biopreserv Biobank*. 2013;11(6):331-338.

Cohen Y, Barshack I, Onn A. [Tissue repositories for research at Sheba Medical Center(SMC)]. *Harefuah*. 2013;152(6):319-322, 370, 369.

Cooks T, Harris CC, Oren M. Caught in the cross fire: p53 in inflammation. *Carcinogenesis*. 2014;35(8):1680-1690.

Cooks T, Pateras IS, Tarcic O, Solomon H, Schetter AJ, Wilder S, Lozano G, Pikarsky E, Forsheew T, Rosenfeld N, Harpaz N, Itzkowitz S, Harris CC, Rotter V, Gorgoulis VG, Oren M. Mutant p53 prolongs NF-kappaB activation and promotes chronic inflammation and inflammation-associated colorectal cancer. *Cancer Cell*. 2013;23(5):634-646.

Covo S, de Villartay JP, Jeggo PA, Livneh Z. Translesion DNA synthesis-assisted non-homologous end-joining of complex double-strand breaks prevents loss of DNA sequences in mammalian cells. *Nucleic Acids Res*. 2009;37(20):6737-6745.

Dai Q, Moshitch-Moshkovitz S, Han D, Kol N, Amariglio N, Rechavi G, Dominissini D, He C. Nm-seq maps 2'-O-methylation sites in human mRNA with base precision. *Nat Methods*. 2017;14(7):695-698.

Damianovich M, Hout Siloni G, Barshack I, Simansky DA, Kidron D, Dar E, Avivi C, Onn A. Structural basis for hyperpermeability of tumor vessels in advanced lung adenocarcinoma complicated by pleural effusion. *Clin Lung Cancer*. 2013;14(6):688-698.

Dehan E, Ben-Dor A, Liao W, Lipson D, Frimer H, Rienstein S, Simansky D, Krupsky M, Yaron P, Friedman E, Rechavi G, Perlman M, Aviram-Goldring A, Izraeli S, Bittner M, Yakhini Z, Kaminski N. Chromosomal aberrations and gene expression profiles in non-small cell lung cancer. *Lung Cancer*. 2007;56(2):175-184.

Diamant N, Hendel A, Vered I, Carell T, Reissner T, de Wind N, Geacinov N, Livneh Z. DNA damage bypass operates in the S and G2 phases of the cell cycle and exhibits differential mutagenicity. *Nucleic Acids Res*. 2012;40(1):170-180.

Dominissini D, Amariglio N, Rechavi G. Micro-editing mistake translates into a devastating brain tumor. *J Clin Invest*. 2012;122(11):3842-3845.

Dominissini D, Moshitch-Moshkovitz S, Amariglio N, Rechavi G. Adenosine-to-inosine RNA editing meets cancer. *Carcinogenesis*. 2011;32(11):1569-1577.

Dominissini D, Moshitch-Moshkovitz S, Amariglio N, Rechavi G. Transcriptome-Wide Mapping of N(6)-Methyladenosine by m(6)A-Seq. *Methods Enzymol*. 2015;560:131-147.

Dominissini D, Moshitch-Moshkovitz S, Salmon-Divon M, Amariglio N, Rechavi G. Transcriptome-wide mapping of N(6)-methyladenosine by m(6)A-seq based on immunocapturing and massively parallel sequencing. *Nat Protoc*. 2013;8(1):176-189.

- Dominissini D, Moshitch-Moshkovitz S, Schwartz S, Salmon-Divon M, Ungar L, Osenberg S, Cesarkas K, Jacob-Hirsch J, Amariglio N, Kupiec M, Sorek R, Rechavi G. Topology of the human and mouse m6A RNA methylomes revealed by m6A-seq. *Nature*. 2012;485(7397):201-206.
- Dominissini D, Nachtergaele S, Moshitch-Moshkovitz S, Peer E, Kol N, Ben-Haim MS, Dai Q, Di Segni A, Salmon-Divon M, Clark WC, Zheng G, Pan T, Solomon O, Eyal E, Hershkowitz V, Han D, Dore LC, Amariglio N, Rechavi G, He C. The dynamic N(1)-methyladenosine methylome in eukaryotic messenger RNA. *Nature*. 2016;530(7591):441-446.
- Dorn LE, Lasman L, Chen J, Xu X, Hund TJ, Medvedovic M, Hanna JH, van Berlo JH, Accornero F. The N(6)-Methyladenosine mRNA Methylase METTL3 Controls Cardiac Homeostasis and Hypertrophy. *Circulation*. 2019;139(4):533-545.
- Eisenberg-Lerner A, Kimchi A. DAP kinase regulates JNK signaling by binding and activating protein kinase D under oxidative stress. *Cell Death Differ*. 2007;14(11):1908-1915.
- Eisenberg-Lerner A, Kimchi A. The paradox of autophagy and its implication in cancer etiology and therapy. *Apoptosis*. 2009;14(4):376-391.
- Eisenberg-Lerner A, Kimchi A. PKD at the crossroads of necrosis and autophagy. *Autophagy*. 2012;8(3):433-434.
- Eisenberg-Lerner A, Kimchi A. PKD is a kinase of Vps34 that mediates ROS-induced autophagy downstream of DAPk. *Cell Death Differ*. 2012;19(5):788-797.
- Engel M, Eggert C, Kaplick PM, Eder M, Roh S, Tietze L, Namendorf C, Arloth J, Weber P, Rex-Haffner M, Geula S, Jakovcevski M, Hanna JH, Leshkowitz D, Uhr M, Wotjak CT, Schmidt MV, Deussing JM, Binder EB, Chen A. The Role of m(6)A/m-RNA Methylation in Stress Response Regulation. *Neuron*. 2018;99(2):389-403 e389.
- Feigelson SW, Pasvolsky R, Cemerski S, Shulman Z, Grabovsky V, Ilani T, Sagiv A, Lemaitre F, Laudanna C, Shaw AS, Alon R. Occupancy of lymphocyte LFA-1 by surface-immobilized ICAM-1 is critical for TCR- but not for chemokine-triggered LFA-1 conversion to an open headpiece high-affinity state. *J Immunol*. 2010;185(12):7394-7404.
- Feigelson SW, Solomon A, Biram A, Hatzav M, Lichtenstein M, Regev O, Kozlovski S, Varol D, Curato C, Leshkowitz D, Jung S, Shulman Z, Alon R. ICAMs Are Not Obligatory for Functional Immune Synapses between Naive CD4 T Cells and Lymph Node DCs. *Cell Rep*. 2018;22(4):849-859.
- Fu Y, Dominissini D, Rechavi G, He C. Gene expression regulation mediated through reversible m(6)A RNA methylation. *Nat Rev Genet*. 2014;15(5):293-306.
- Fuchs G, Oren M. Writing and reading H2B monoubiquitylation. *Biochim Biophys Acta*. 2014;1839(8):694-701.
- Gaisler-Salomon I, Kravitz E, Feiler Y, Safran M, Biegon A, Amariglio N, Rechavi G. Hippocampus-specific deficiency in RNA editing of GluA2 in Alzheimer's disease. *Neurobiol Aging*. 2014;35(8):1785-1791.
- Galanos P, Pappas G, Polyzos A, Kotsinas A, Svolaki I, Giakoumakis NN, Glytsou C, Pateras IS, Swain U, Souliotis VL, Georgakilas AG, Geacintov N, Scorrano L, Lukas C, Lukas J, Livneh Z,

Lygerou Z, Chowdhury D, Sorensen CS, Bartek J, Gorgoulis VG. Mutational signatures reveal the role of RAD52 in p53-independent p21-driven genomic instability. *Genome Biol.* 2018;19(1):37.

Gamliel M, Goldman-Wohl D, Isaacson B, Gur C, Stein N, Yamin R, Berger M, Grunewald M, Keshet E, Rais Y, Bornstein C, David E, Jelinski A, Eisenberg I, Greenfield C, Ben-David A, Imbar T, Gilad R, Haimov-Kochman R, Mankuta D, Elami-Suzin M, Amit I, Hanna JH, Yagel S, Mandelboim O. Trained Memory of Human Uterine NK Cells Enhances Their Function in Subsequent Pregnancies. *Immunity.* 2018;48(5):951-962 e955.

Germanguz I, Shtrichman R, Osenberg S, Ziskind A, Novak A, Domev H, Laevsky I, Jacob-Hirsch J, Feiler Y, Rechavi G, Itskovitz-Eldor J. ADAR1 is involved in the regulation of reprogramming human fibroblasts to induced pluripotent stem cells. *Stem Cells Dev.* 2014;23(5):443-456.

Geula S, Moshitch-Moshkovitz S, Dominissini D, Mansour AA, Kol N, Salmon-Divon M, HersHKovitz V, Peer E, Mor N, Manor YS, Ben-Haim MS, Eyal E, Yunger S, Pinto Y, Jaitin DA, Viukov S, Rais Y, Krupalnik V, Chomsky E, Zerbib M, Maza I, Rechavi Y, Massarwa R, Hanna S, Amit I, Levanon EY, Amariglio N, Stern-Ginossar N, Novershtern N, Rechavi G, Hanna JH. Stem cells. m6A mRNA methylation facilitates resolution of naive pluripotency toward differentiation. *Science.* 2015;347(6225):1002-1006.

Gilad Y, Shiloh R, Ber Y, Bialik S, Kimchi A. Discovering protein-protein interactions within the programmed cell death network using a protein-fragment complementation screen. *Cell Rep.* 2014;8(3):909-921.

Goldstein I, Ezra O, Rivlin N, Molchadsky A, Madar S, Goldfinger N, Rotter V. p53, a novel regulator of lipid metabolism pathways. *J Hepatol.* 2012;56(3):656-662.

Goldstein I, Rivlin N, Shoshana OY, Ezra O, Madar S, Goldfinger N, Rotter V. Chemotherapeutic agents induce the expression and activity of their clearing enzyme CYP3A4 by activating p53. *Carcinogenesis.* 2013;34(1):190-198.

Golomb L, Bublik DR, Wilder S, Nevo R, Kiss V, Grabusic K, Volarevic S, Oren M. Importin 7 and exportin 1 link c-Myc and p53 to regulation of ribosomal biogenesis. *Mol Cell.* 2012;45(2):222-232.

Golomb L, Volarevic S, Oren M. p53 and ribosome biogenesis stress: the essentials. *FEBS Lett.* 2014;588(16):2571-2579.

Gozuacik D, Bialik S, Raveh T, Mitou G, Shohat G, Sabanay H, Mizushima N, Yoshimori T, Kimchi A. DAP-kinase is a mediator of endoplasmic reticulum stress-induced caspase activation and autophagic cell death. *Cell Death Differ.* 2008;15(12):1875-1886.

Gozuacik D, Kimchi A. DAPk protein family and cancer. *Autophagy.* 2006;2(2):74-79.

Gozuacik D, Kimchi A. Autophagy and cell death. *Curr Top Dev Biol.* 2007;78:217-245.

Greenberg E, Besser MJ, Ben-Ami E, Shapira-Frommer R, Itzhaki O, Zikich D, Levy D, Kubi A, Eyal E, Onn A, Cohen Y, Barshack I, Schachter J, Markel G. A comparative analysis of total serum miRNA profiles identifies novel signature that is highly indicative of metastatic melanoma: a pilot study. *Biomarkers.* 2013;18(6):502-508.

Greenberg E, Rechavi G, Amariglio N, Solomon O, Schachter J, Markel G, Eyal E. Mutagen-specific mutation signature determines global microRNA binding. *PLoS One*. 2011;6(11):e27400.

Greenberger S, Levanon EY, Paz-Yaacov N, Barzilai A, Safran M, Osenberg S, Amariglio N, Rechavi G, Eisenberg E. Consistent levels of A-to-I RNA editing across individuals in coding sequences and non-conserved Alu repeats. *BMC Genomics*. 2010;11:608.

Grinberg-Rashi H, Ofek E, Perelman M, Skarda J, Yaron P, Hajdich M, Jacob-Hirsch J, Amariglio N, Krupsky M, Simansky DA, Ram Z, Pfeffer R, Galanter I, Steinberg DM, Ben-Dov I, Rechavi G, Izraeli S. The expression of three genes in primary non-small cell lung cancer is associated with metastatic spread to the brain. *Clin Cancer Res*. 2009;15(5):1755-1761.

Hendel A, Krijger PH, Diamant N, Goren Z, Langerak P, Kim J, Reissner T, Lee KY, Geacintov NE, Carell T, Myung K, Tateishi S, D'Andrea A, Jacobs H, Livneh Z. PCNA ubiquitination is important, but not essential for translesion DNA synthesis in mammalian cells. *PLoS Genet*. 2011;7(9):e1002262.

Hendel A, Ziv O, Gueranger Q, Geacintov N, Livneh Z. Reduced efficiency and increased mutagenicity of translesion DNA synthesis across a TT cyclobutane pyrimidine dimer, but not a TT 6-4 photoproduct, in human cells lacking DNA polymerase eta. *DNA Repair (Amst)*. 2008;7(10):1636-1646.

Hirota K, Tsuda M, Mohiuddin, Tsurimoto T, Cohen IS, Livneh Z, Kobayashi K, Narita T, Nishihara K, Murai J, Iwai S, Guilbaud G, Sale JE, Takeda S. In vivo evidence for translesion synthesis by the replicative DNA polymerase delta. *Nucleic Acids Res*. 2016;44(15):7242-7250.

Irie N, Weinberger L, Tang WW, Kobayashi T, Viukov S, Manor YS, Dietmann S, Hanna JH, Surani MA. SOX17 is a critical specifier of human primordial germ cell fate. *Cell*. 2015;160(1-2):253-268.

Izhar L, Goldsmith M, Dahan R, Geacintov N, Lloyd RG, Livneh Z. Analysis of strand transfer and template switching mechanisms of DNA gap repair by homologous recombination in *Escherichia coli*: predominance of strand transfer. *J Mol Biol*. 2008;381(4):803-809.

Izhar L, Ziv O, Cohen IS, Geacintov NE, Livneh Z. Genomic assay reveals tolerance of DNA damage by both translesion DNA synthesis and homology-dependent repair in mammalian cells. *Proc Natl Acad Sci U S A*. 2013;110(16):E1462-1469.

Jacob-Hirsch J, Eyal E, Knisbacher BA, Roth J, Cesarkas K, Dor C, Farage-Barhom S, Kunik V, Simon AJ, Gal M, Yalon M, Moshitch-Moshkovitz S, Tearle R, Constantini S, Levanon EY, Amariglio N, Rechavi G. Whole-genome sequencing reveals principles of brain retrotransposition in neurodevelopmental disorders. *Cell Res*. 2018;28(2):187-203.

Jacoby E, Yalon M, Leitner M, Cohen ZR, Cohen Y, Fisher T, Eder S, Amariglio N, Rechavi G, Cazacu S, Xiang C, Mikkelsen T, Brodie C, Toren A. Related to testes-specific, vespid and pathogenesis protein-1 is regulated by methylation in glioblastoma. *Oncol Lett*. 2014;7(4):1209-1212.

- Jansen JG, Tsaalbi-Shtylik A, Hendriks G, Gali H, Hendel A, Johansson F, Erixon K, Livneh Z, Mullenders LH, Haracska L, de Wind N. Separate domains of Rev1 mediate two modes of DNA damage bypass in mammalian cells. *Mol Cell Biol.* 2009;29(11):3113-3123.
- Kalo E, Buganim Y, Shapira KE, Besserglick H, Goldfinger N, Weisz L, Stambolsky P, Henis YI, Rotter V. Mutant p53 attenuates the SMAD-dependent transforming growth factor beta1 (TGF-beta1) signaling pathway by repressing the expression of TGF-beta receptor type II. *Mol Cell Biol.* 2007;27(23):8228-8242.
- Kalo E, Kogan-Sakin I, Solomon H, Bar-Nathan E, Shay M, Shetzer Y, Dekel E, Goldfinger N, Buganim Y, Stambolsky P, Goldstein I, Madar S, Rotter V. Mutant p53R273H attenuates the expression of phase 2 detoxifying enzymes and promotes the survival of cells with high levels of reactive oxygen species. *J Cell Sci.* 2012;125(Pt 22):5578-5586.
- Kang TB, Oh GS, Scandella E, Bolinger B, Ludewig B, Kovalenko A, Wallach D. Mutation of a self-processing site in caspase-8 compromises its apoptotic but not its nonapoptotic functions in bacterial artificial chromosome-transgenic mice. *J Immunol.* 2008;181(4):2522-2532.
- Kang TB, Yang SH, Toth B, Kovalenko A, Wallach D. Caspase-8 blocks kinase RIPK3-mediated activation of the NLRP3 inflammasome. *Immunity.* 2013;38(1):27-40.
- Kang TB, Yang SH, Toth B, Kovalenko A, Wallach D. Activation of the NLRP3 inflammasome by proteins that signal for necroptosis. *Methods Enzymol.* 2014;545:67-81.
- Karzbrun E, Kshirsagar A, Cohen SR, Hanna JH, Reiner O. Human Brain Organoids on a Chip Reveal the Physics of Folding. *Nat Phys.* 2018;14(5):515-522.
- Kimchi A. Programmed cell death: from novel gene discovery to studies on network connectivity and emerging biomedical implications. *Cytokine Growth Factor Rev.* 2007;18(5-6):435-440.
- Kogan-Sakin I, Cohen M, Paland N, Madar S, Solomon H, Molchadsky A, Brosh R, Buganim Y, Goldfinger N, Klocker H, Schalken JA, Rotter V. Prostate stromal cells produce CXCL-1, CXCL-2, CXCL-3 and IL-8 in response to epithelia-secreted IL-1. *Carcinogenesis.* 2009;30(4):698-705.
- Kogan-Sakin I, Tabach Y, Buganim Y, Molchadsky A, Solomon H, Madar S, Kamer I, Stambolsky P, Shelly A, Goldfinger N, Valsesia-Wittmann S, Puisieux A, Zundelovich A, Gal-Yam EN, Avivi C, Barshack I, Brait M, Sidransky D, Domany E, Rotter V. Mutant p53(R175H) upregulates Twist1 expression and promotes epithelial-mesenchymal transition in immortalized prostate cells. *Cell Death Differ.* 2011;18(2):271-281.
- Koifman G, Aloni-Grinstein R, Rotter V. p53 balances between tissue hierarchy and anarchy. *J Mol Cell Biol.* 2019;11(7):553-563.
- Koifman G, Shetzer Y, Eizenberger S, Solomon H, Rotkopf R, Molchadsky A, Lonetto G, Goldfinger N, Rotter V. A Mutant p53-Dependent Embryonic Stem Cell Gene Signature Is Associated with Augmented Tumorigenesis of Stem Cells. *Cancer Res.* 2018;78(20):5833-5847.

Koren I, Reem E, Kimchi A. Autophagy gets a brake: DAP1, a novel mTOR substrate, is activated to suppress the autophagic process. *Autophagy*. 2010;6(8):1179-1180.

Koren I, Reem E, Kimchi A. DAP1, a novel substrate of mTOR, negatively regulates autophagy. *Curr Biol*. 2010;20(12):1093-1098.

Kovalenko A, Kim JC, Kang TB, Rajput A, Bogdanov K, Dittrich-Breiholz O, Kracht M, Brenner O, Wallach D. Caspase-8 deficiency in epidermal keratinocytes triggers an inflammatory skin disease. *J Exp Med*. 2009;206(10):2161-2177.

Krelin Y, Zhang L, Kang TB, Appel E, Kovalenko A, Wallach D. Caspase-8 deficiency facilitates cellular transformation in vitro. *Cell Death Differ*. 2008;15(9):1350-1355.

Landan G, Cohen NM, Mukamel Z, Bar A, Molchadsky A, Brosh R, Horn-Saban S, Zalcenstein DA, Goldfinger N, Zundeleovich A, Gal-Yam EN, Rotter V, Tanay A. Epigenetic polymorphism and the stochastic formation of differentially methylated regions in normal and cancerous tissues. *Nat Genet*. 2012;44(11):1207-1214.

Lasman L, Hanna JH, Novershtern N. Role of m6A in embryonic stem cell differentiation and in gametogenesis. *Epigenomes*. 2020;4:5.

Lasman L, Krupalnik V, Viukov S, Mor N, Aguilera-Castrejon A, Schneir D, Bayerl J, Mizrahi O, Peles S, Tawil S, Sathe S, Nachshon A, Shani T, Zerbib M, Kilimnik I, Aigner S, Shankar A, Mueller JR, Schwartz S, Stern-Ginossar N, Yeo GW, Geula S, Novershtern N, Hanna JH. Context-dependent functional compensation between Ythdf m(6)A reader proteins. *Genes Dev*. 2020;34(19-20):1373-1391.

Lebanony D, Benjamin H, Gilad S, Ezagouri M, Dov A, Ashkenazi K, Gefen N, Izraeli S, Rechavi G, Pass H, Nonaka D, Li J, Spector Y, Rosenfeld N, Chajut A, Cohen D, Aharonov R, Mansukhani M. Diagnostic assay based on hsa-miR-205 expression distinguishes squamous from nonsquamous non-small-cell lung carcinoma. *J Clin Oncol*. 2009;27(12):2030-2037.

Lee H, Bao S, Qian Y, Geula S, Leslie J, Zhang C, Hanna JH, Ding L. Stage-specific requirement for Mettl3-dependent m(6)A mRNA methylation during haematopoietic stem cell differentiation. *Nat Cell Biol*. 2019;21(6):700-709.

Leitner-Dagan Y, Sevilya Z, Pinchev M, Kramer R, Elinger D, Roisman LC, Rennert HS, Schechtman E, Freedman L, Rennert G, Livneh Z, Paz-Elizur T. N-methylpurine DNA glycosylase and OGG1 DNA repair activities: opposite associations with lung cancer risk. *J Natl Cancer Inst*. 2012;104(22):1765-1769.

Leitner-Dagan Y, Sevilya Z, Pinchev M, Kremer R, Elinger D, Rennert HS, Schechtman E, Freedman L, Rennert G, Livneh Z, Paz-Elizur T. Enzymatic MPG DNA repair assays for two different oxidative DNA lesions reveal associations with increased lung cancer risk. *Carcinogenesis*. 2014;35(12):2763-2770.

Leshem O, Madar S, Kogan-Sakin I, Kamer I, Goldstein I, Brosh R, Cohen Y, Jacob-Hirsch J, Ehrlich M, Ben-Sasson S, Goldfinger N, Loewenthal R, Gazit E, Rotter V, Berger R. TMPRSS2/ERG promotes epithelial to mesenchymal transition through the ZEB1/ZEB2 axis in a prostate cancer model. *PLoS One*. 2011;6(7):e21650.

Levin-Salomon V, Bialik S, Kimchi A. DAP-kinase and autophagy. *Apoptosis*. 2014;19(2):346-356.

Levine AJ, Oren M. The first 30 years of p53: growing ever more complex. *Nat Rev Cancer*. 2009;9(10):749-758.

Lieberman N, Marash L, Kimchi A. The translation initiation factor DAP5 is a regulator of cell survival during mitosis. *Cell Cycle*. 2009;8(2):204-209.

Livneh Z. Keeping mammalian mutation load in check: regulation of the activity of error-prone DNA polymerases by p53 and p21. *Cell Cycle*. 2006;5(17):1918-1922.

Livneh Z, Cohen IS, Paz-Elizur T, Davidovsky D, Carmi D, Swain U, Mirlas-Neisberg N. High-resolution genomic assays provide insight into the division of labor between TLS and HDR in mammalian replication of damaged DNA. *DNA Repair (Amst)*. 2016;44:59-67.

Livneh Z, Ziv O, Shachar S. Multiple two-polymerase mechanisms in mammalian translesion DNA synthesis. *Cell Cycle*. 2010;9(4):729-735.

Lonetto G, Koifman G, Silberman A, Attery A, Solomon H, Levin-Zaidman S, Goldfinger N, Porat Z, Erez A, Rotter V. Mutant p53-dependent mitochondrial metabolic alterations in a mesenchymal stem cell-based model of progressive malignancy. *Cell Death Differ*. 2019;26(9):1566-1581.

Madar S, Harel E, Goldstein I, Stein Y, Kogan-Sakin I, Kamer I, Solomon H, Dekel E, Tal P, Goldfinger N, Friedlander G, Rotter V. Mutant p53 attenuates the anti-tumorigenic activity of fibroblasts-secreted interferon beta. *PLoS One*. 2013;8(4):e61353.

Maiuri MC, Zalckvar E, Kimchi A, Kroemer G. Self-eating and self-killing: crosstalk between autophagy and apoptosis. *Nat Rev Mol Cell Biol*. 2007;8(9):741-752.

Manor YS, Massarwa R, Hanna JH. Establishing the human naive pluripotent state. *Curr Opin Genet Dev*. 2015;34:35-45.

Marash L, Lieberman N, Henis-Korenblit S, Sivan G, Reem E, Elroy-Stein O, Kimchi A. DAP5 promotes cap-independent translation of Bcl-2 and CDK1 to facilitate cell survival during mitosis. *Mol Cell*. 2008;30(4):447-459.

Margalit O, Simon AJ, Yakubov E, Puca R, Yosepovich A, Avivi C, Jacob-Hirsch J, Gelernter I, Harmelin A, Barshack I, Rechavi G, D'Orazi G, Givol D, Amariglio N. Zinc supplementation augments in vivo antitumor effect of chemotherapy by restoring p53 function. *Int J Cancer*. 2012;131(4):E562-568.

Marmor-Kollet H, Siany A, Kedersha N, Knafo N, Rivkin N, Danino YM, Moens TG, Olender T, Sheban D, Cohen N, Dadosh T, Addadi Y, Ravid R, Eitan C, Toth Cohen B, Hofmann S, Riggs CL, Advani VM, Higginbottom A, Cooper-Knock J, Hanna JH, Merbl Y, Van Den Bosch L, Anderson P, Ivanov P, Geiger T, Hornstein E. Spatiotemporal Proteomic Analysis of Stress Granule Disassembly Using APEX Reveals Regulation by SUMOylation and Links to ALS Pathogenesis. *Mol Cell*. 2020;80(5):876-891 e876.

Maza I, Caspi I, Zviran A, Chomsky E, Rais Y, Viukov S, Geula S, Buenrostro JD, Weinberger L, Krupalnik V, Hanna S, Zerbib M, Dutton JR, Greenleaf WJ, Massarwa R, Novershtern N,

Hanna JH. Transient acquisition of pluripotency during somatic cell transdifferentiation with iPSC reprogramming factors. *Nat Biotechnol.* 2015;33(7):769-774.

Milman Krentsis I, Rosen C, Shezen E, Aronovich A, Nathanson B, Bachar-Lustig E, Berkman N, Assayag M, Shakhar G, Feferman T, Orgad R, Reisner Y. Lung Injury Repair by Transplantation of Adult Lung Cells Following Preconditioning of Recipient Mice. *Stem Cells Transl Med.* 2018;7(1):68-77.

Milyavsky M, Shats I, Cholostoy A, Brosh R, Buganim Y, Weisz L, Kogan I, Cohen M, Shatz M, Madar S, Kalo E, Goldfinger N, Yuan J, Ron S, MacKenzie K, Eden A, Rotter V. Inactivation of myocardin and p16 during malignant transformation contributes to a differentiation defect. *Cancer Cell.* 2007;11(2):133-146.

Milyavsky M, Tabach Y, Shats I, Erez N, Cohen Y, Tang X, Kalis M, Kogan I, Buganim Y, Goldfinger N, Ginsberg D, Harris CC, Domany E, Rotter V. Transcriptional programs following genetic alterations in p53, INK4A, and H-Ras genes along defined stages of malignant transformation. *Cancer Res.* 2005;65(11):4530-4543.

Mitsunaga S, Shioda K, Hanna JH, Isselbacher KJ, Shioda T. Production and Analysis of Human Primordial Germ Cell-Like Cells. *Methods Mol Biol.* 2021;2195:125-145.

Miyamoto T, DeRose R, Suarez A, Ueno T, Chen M, Sun TP, Wolfgang MJ, Mukherjee C, Meyers DJ, Inoue T. Rapid and orthogonal logic gating with a gibberellin-induced dimerization system. *Nat Chem Biol.* 2012;8(5):465-470.

Molchadsky A, Ezra O, Amendola PG, Krantz D, Kogan-Sakin I, Buganim Y, Rivlin N, Goldfinger N, Folgiero V, Falcioni R, Sarig R, Rotter V. p53 is required for brown adipogenic differentiation and has a protective role against diet-induced obesity. *Cell Death Differ.* 2013;20(5):774-783.

Molchadsky A, Rivlin N, Brosh R, Rotter V, Sarig R. p53 is balancing development, differentiation and de-differentiation to assure cancer prevention. *Carcinogenesis.* 2010;31(9):1501-1508.

Molchadsky A, Rotter V. p53 and its mutants on the slippery road from stemness to carcinogenesis. *Carcinogenesis.* 2017;38(4):347-358.

Molchadsky A, Shats I, Goldfinger N, Pevsner-Fischer M, Olson M, Rinon A, Tzahor E, Lozano G, Zipori D, Sarig R, Rotter V. p53 plays a role in mesenchymal differentiation programs, in a cell fate dependent manner. *PLoS One.* 2008;3(11):e3707.

Mor I, Bialik S, Kimchi A. DAPk and pyruvate kinase: unlikely partners in cancer metabolic regulation. *Cell Cycle.* 2012;11(1):3-4.

Mor I, Carlessi R, Ast T, Feinstein E, Kimchi A. Death-associated protein kinase increases glycolytic rate through binding and activation of pyruvate kinase. *Oncogene.* 2012;31(6):683-693.

Mor N, Rais Y, Sheban D, Peles S, Aguilera-Castrejon A, Zviran A, Elinger D, Viukov S, Geula S, Krupalnik V, Zerbib M, Chomsky E, Lasman L, Shani T, Bayerl J, Gafni O, Hanna S, Buenrostro JD, Hagai T, Masika H, Vainorius G, Bergman Y, Greenleaf WJ, Esteban MA, Elling U, Levin Y, Massarwa R, Merbl Y, Novershtern N, Hanna JH. Neutralizing Gatad2a-Chd4-

- Mbd3/NuRD Complex Facilitates Deterministic Induction of Naive Pluripotency. *Cell Stem Cell*. 2018;23(3):412-425 e410.
- Moshitch-Moshkovitz S, Dominissini D, Rechavi G. The epitranscriptome toolbox. *Cell*. 2022;185(5):764-776.
- Moskovits N, Kalinkovich A, Bar J, Lapidot T, Oren M. p53 Attenuates cancer cell migration and invasion through repression of SDF-1/CXCL12 expression in stromal fibroblasts. *Cancer Res*. 2006;66(22):10671-10676.
- Nagano T, Lubling Y, Varnai C, Dudley C, Leung W, Baran Y, Mendelson Cohen N, Wingett S, Fraser P, Tanay A. Cell-cycle dynamics of chromosomal organization at single-cell resolution. *Nature*. 2017;547(7661):61-67.
- Nagar M, Jacob-Hirsch J, Vernitsky H, Berkun Y, Ben-Horin S, Amariglio N, Bank I, Kloog Y, Rechavi G, Goldstein I. TNF activates a NF-kappaB-regulated cellular program in human CD45RA- regulatory T cells that modulates their suppressive function. *J Immunol*. 2010;184(7):3570-3581.
- Nakav S, Cohen S, Feigelson SW, Bialik S, Shoseyov D, Kimchi A, Alon R. Tumor suppressor death-associated protein kinase attenuates inflammatory responses in the lung. *Am J Respir Cell Mol Biol*. 2012;46(3):313-322.
- Nardinocchi L, Puca R, Sacchi A, Rechavi G, Givol D, D'Orazi G. Targeting hypoxia in cancer cells by restoring homeodomain interacting protein-kinase 2 and p53 activity and suppressing HIF-1alpha. *PLoS One*. 2009;4(8):e6819.
- Nemlich Y, Greenberg E, Ortenberg R, Besser MJ, Barshack I, Jacob-Hirsch J, Jacoby E, Eyal E, Rivkin L, Prieto VG, Chakravarti N, Duncan LM, Kallenberg DM, Galun E, Bennett DC, Amariglio N, Bar-Eli M, Schachter J, Rechavi G, Markel G. MicroRNA-mediated loss of ADAR1 in metastatic melanoma promotes tumor growth. *J Clin Invest*. 2013;123(6):2703-2718.
- Nevo-Caspi Y, Amariglio N, Rechavi G, Paret G. A-to-I RNA editing is induced upon hypoxia. *Shock*. 2011;35(6):585-589.
- Nodale C, Sheffer M, Jacob-Hirsch J, Folgiero V, Falcioni R, Aiello A, Garufi A, Rechavi G, Givol D, D'Orazi G. HIPK2 downregulates vimentin and inhibits breast cancer cell invasion. *Cancer Biol Ther*. 2012;13(4):198-205.
- Nourshargh S, Alon R. Leukocyte migration into inflamed tissues. *Immunity*. 2014;41(5):694-707.
- Olivares-Chauvet P, Mukamel Z, Lifshitz A, Schwartzman O, Elkayam NO, Lubling Y, Deikus G, Sebra RP, Tanay A. Capturing pairwise and multi-way chromosomal conformations using chromosomal walks. *Nature*. 2016;540(7632):296-300.
- Oren M, Bartek J. The sunny side of p53. *Cell*. 2007;128(5):826-828.
- Oren M, Rotter V. Mutant p53 gain-of-function in cancer. *Cold Spring Harb Perspect Biol*. 2010;2(2):a001107.
- Oren M, Tal P, Rotter V. Targeting mutant p53 for cancer therapy. *Aging (Albany NY)*. 2016;8(6):1159-1160.

- Osenberg S, Dominissini D, Rechavi G, Eisenberg E. Widespread cleavage of A-to-I hyperediting substrates. *RNA*. 2009;15(9):1632-1639.
- Osenberg S, Paz Yaacov N, Safran M, Moshkovitz S, Shtrichman R, Sherf O, Jacob-Hirsch J, Keshet G, Amariglio N, Itskovitz-Eldor J, Rechavi G. Alu sequences in undifferentiated human embryonic stem cells display high levels of A-to-I RNA editing. *PLoS One*. 2010;5(6):e11173.
- Paland N, Kamer I, Kogan-Sakin I, Madar S, Goldfinger N, Rotter V. Differential influence of normal and cancer-associated fibroblasts on the growth of human epithelial cells in an in vitro cocultivation model of prostate cancer. *Mol Cancer Res*. 2009;7(8):1212-1223.
- Paz A, Brownstein Z, Ber Y, Bialik S, David E, Sagir D, Ulitsky I, Elkon R, Kimchi A, Avraham KB, Shiloh Y, Shamir R. SPIKE: a database of highly curated human signaling pathways. *Nucleic Acids Res*. 2011;39(Database issue):D793-799.
- Paz N, Levanon EY, Amariglio N, Heimberger AB, Ram Z, Constantini S, Barbash ZS, Adamsky K, Safran M, Hirschberg A, Krupsky M, Ben-Dov I, Cazacu S, Mikkelsen T, Brodie C, Eisenberg E, Rechavi G. Altered adenosine-to-inosine RNA editing in human cancer. *Genome Res*. 2007;17(11):1586-1595.
- Paz-Elizur T, Ben-Yosef R, Elinger D, Vexler A, Krupsky M, Berrebi A, Shani A, Schechtman E, Freedman L, Livneh Z. Reduced repair of the oxidative 8-oxoguanine DNA damage and risk of head and neck cancer. *Cancer Res*. 2006;66(24):11683-11689.
- Paz-Elizur T, Brenner DE, Livneh Z. Interrogating DNA repair in cancer risk assessment. *Cancer Epidemiol Biomarkers Prev*. 2005;14(7):1585-1587.
- Paz-Elizur T, Elinger D, Blumenstein S, Krupsky M, Schechtman E, Livneh Z. Novel molecular targets for risk identification: DNA repair enzyme activities. *Cancer Biomark*. 2007;3(3):129-133.
- Paz-Elizur T, Elinger D, Leitner-Dagan Y, Blumenstein S, Krupsky M, Berrebi A, Schechtman E, Livneh Z. Development of an enzymatic DNA repair assay for molecular epidemiology studies: distribution of OGG activity in healthy individuals. *DNA Repair (Amst)*. 2007;6(1):45-60.
- Paz-Elizur T, Krupsky M, Elinger D, Schechtman E, Livneh Z. Repair of the oxidative DNA damage 8-oxoguanine as a biomarker for lung cancer risk. *Cancer Biomark*. 2005;1(2-3):201-205.
- Paz-Elizur T, Leitner-Dagan Y, Meyer KB, Markus B, Giorgi FM, O'Reilly M, Kim H, Evgy Y, Fluss R, Freedman LS, Rintoul RC, Ponder B, Livneh Z. DNA Repair Biomarker for Lung Cancer Risk and its Correlation With Airway Cells Gene Expression. *JNCI Cancer Spectr*. 2020;4(1):pkz067.
- Paz-Elizur T, Sevilya Z, Leitner-Dagan Y, Elinger D, Roisman LC, Livneh Z. DNA repair of oxidative DNA damage in human carcinogenesis: potential application for cancer risk assessment and prevention. *Cancer Lett*. 2008;266(1):60-72.
- Petrovich E, Feigelson SW, Stoler-Barak L, Hatzav M, Solomon A, Bar-Shai A, Ilan N, Li JP, Engelhardt B, Vlodavsky I, Alon R. Lung ICAM-1 and ICAM-2 support spontaneous

intravascular effector lymphocyte entrapment but are not required for neutrophil entrapment or emigration inside endotoxin-inflamed lungs. *FASEB J.* 2016;30(5):1767-1778.

Prokocimer M, Molchadsky A, Rotter V. Dysfunctional diversity of p53 proteins in adult acute myeloid leukemia: projections on diagnostic workup and therapy. *Blood.* 2017;130(6):699-712.

Puca R, Nardinocchi L, Bossi G, Sacchi A, Rechavi G, Givol D, D'Orazi G. Restoring wtp53 activity in HIPK2 depleted MCF7 cells by modulating metallothionein and zinc. *Exp Cell Res.* 2009;315(1):67-75.

Puca R, Nardinocchi L, Porru M, Simon AJ, Rechavi G, Leonetti C, Givol D, D'Orazi G. Restoring p53 active conformation by zinc increases the response of mutant p53 tumor cells to anticancer drugs. *Cell Cycle.* 2011;10(10):1679-1689.

Puca R, Nardinocchi L, Sacchi A, Rechavi G, Givol D, D'Orazi G. HIPK2 modulates p53 activity towards pro-apoptotic transcription. *Mol Cancer.* 2009;8:85.

Puca R, Nardinocchi L, Starace G, Rechavi G, Sacchi A, Givol D, D'Orazi G. Nox1 is involved in p53 deacetylation and suppression of its transcriptional activity and apoptosis. *Free Radic Biol Med.* 2010;48(10):1338-1346.

Rajput A, Kang TB, Bogdanov K, Kim JC, Ben-Moshe T, Kovalenko A, Wallach D. Anti-inflammatory functions of caspase-8. *Adv Exp Med Biol.* 2011;691:253-260.

Rajput A, Kovalenko A, Bogdanov K, Yang SH, Kang TB, Kim JC, Du J, Wallach D. RIG-I RNA helicase activation of IRF3 transcription factor is negatively regulated by caspase-8-mediated cleavage of the RIP1 protein. *Immunity.* 2011;34(3):340-351.

Raver-Shapira N, Marciano E, Meiri E, Spector Y, Rosenfeld N, Moskovits N, Bentwich Z, Oren M. Transcriptional activation of miR-34a contributes to p53-mediated apoptosis. *Mol Cell.* 2007;26(5):731-743.

Reef S, Kimchi A. A smARF way to die: a novel short isoform of p19ARF is linked to autophagic cell death. *Autophagy.* 2006;2(4):328-330.

Reef S, Shifman O, Oren M, Kimchi A. The autophagic inducer smARF interacts with and is stabilized by the mitochondrial p32 protein. *Oncogene.* 2007;26(46):6677-6683.

Reef S, Zalckvar E, Shifman O, Bialik S, Sabanay H, Oren M, Kimchi A. A short mitochondrial form of p19ARF induces autophagy and caspase-independent cell death. *Mol Cell.* 2006;22(4):463-475.

Rivlin N, Brosh R, Oren M, Rotter V. Mutations in the p53 Tumor Suppressor Gene: Important Milestones at the Various Steps of Tumorigenesis. *Genes Cancer.* 2011;2(4):466-474.

Rivlin N, Katz S, Doody M, Sheffer M, Horesh S, Molchadsky A, Koifman G, Shetzer Y, Goldfinger N, Rotter V, Geiger T. Rescue of embryonic stem cells from cellular transformation by proteomic stabilization of mutant p53 and conversion into WT conformation. *Proc Natl Acad Sci U S A.* 2014;111(19):7006-7011.

Rubinstein AD, Eisenstein M, Ber Y, Bialik S, Kimchi A. The autophagy protein Atg12 associates with antiapoptotic Bcl-2 family members to promote mitochondrial apoptosis. *Mol Cell*. 2011;44(5):698-709.

Rubinstein AD, Kimchi A. Life in the balance - a mechanistic view of the crosstalk between autophagy and apoptosis. *J Cell Sci*. 2012;125(Pt 22):5259-5268.

Sarig R, Rivlin N, Brosh R, Bornstein C, Kamer I, Ezra O, Molchadsky A, Goldfinger N, Brenner O, Rotter V. Mutant p53 facilitates somatic cell reprogramming and augments the malignant potential of reprogrammed cells. *J Exp Med*. 2010;207(10):2127-2140.

Schmid JO, Dong M, Haubeiss S, Friedel G, Bode S, Grabner A, Ott G, Murdter TE, Oren M, Aulitzky WE, van der Kuip H. Cancer cells cue the p53 response of cancer-associated fibroblasts to cisplatin. *Cancer Res*. 2012;72(22):5824-5832.

Schneider S, Reissner T, Ziv O, Livneh Z, Carell T. Translesion synthesis of 1,3-GTG cisplatin DNA lesions. *Chembiochem*. 2010;11(11):1521-1524.

Sevilya Z, Leitner-Dagan Y, Pinchev M, Kremer R, Elinger D, Lejbkiewicz F, Rennert HS, Freedman LS, Rennert G, Paz-Elizur T, Livneh Z. Development of APE1 enzymatic DNA repair assays: low APE1 activity is associated with increase lung cancer risk. *Carcinogenesis*. 2015;36(9):982-991.

Sevilya Z, Leitner-Dagan Y, Pinchev M, Kremer R, Elinger D, Rennert HS, Schechtman E, Freedman LS, Rennert G, Paz-Elizur T, Livneh Z. Low integrated DNA repair score and lung cancer risk. *Cancer Prev Res (Phila)*. 2014;7(4):398-406.

Shachar S, Ziv O, Avkin S, Adar S, Wittschieben J, Reissner T, Chaney S, Friedberg EC, Wang Z, Carell T, Geacintov N, Livneh Z. Two-polymerase mechanisms dictate error-free and error-prone translesion DNA synthesis in mammals. *EMBO J*. 2009;28(4):383-393.

Shani T, Onn A, Kabha A, Ben-Dov I, Adam I, Amariglio N, Yahalom R, Rechavi G, Trakhtenbrot L, Hirshberg A. Chromosomal numerical aberrations in apparently normal oral mucosa of heavy smokers affected by lung cancer. *Oral Oncol*. 2010;46(2):96-99.

Shani T, Primov-Fever A, Wolf M, Shalmon B, Amarglio N, Trakhtenbrot L, Hirshberg A. Noninvasive detection of aneuploid cells in laryngeal epithelial precursor lesions. *Cancer Cytopathol*. 2011;119(4):235-246.

Shats I, Milyavsky M, Cholostoy A, Brosh R, Rotter V. Myocardin in tumor suppression and myofibroblast differentiation. *Cell Cycle*. 2007;6(10):1141-1146.

Sheban D, Shani T, Maor R, Aguilera-Castrejon A, Mor N, Oldak B, Shmueli MD, Eisenberg-Lerner A, Bayerl J, Hebert J, Viukov S, Chen G, Kacen A, Krupalnik V, Chugaeva V, Tarazi S, Rodriguez-de la Rosa A, Zerbib M, Ulman A, Masarwi S, Kupervaser M, Levin Y, Shema E, David Y, Novershtern N, Hanna JH, Merbl Y. SUMOylation of linker histone H1 drives chromatin condensation and restriction of embryonic cell fate identity. *Mol Cell*. 2022;82(1):106-122 e109.

Sheffer M, Simon AJ, Jacob-Hirsch J, Rechavi G, Domany E, Givol D, D'Orazi G. Genome-wide analysis discloses reversal of the hypoxia-induced changes of gene expression in colon cancer cells by zinc supplementation. *Oncotarget*. 2011;2(12):1191-1202.

Sheinboim D, Maza I, Dror I, Parikh S, Krupalnik V, Bell RE, Zviran A, Suita Y, Hakim O, Mandel-Gutfreund Y, Khaled M, Hanna JH, Levy C. OCT4 impedes cell fate redirection by the melanocyte lineage master regulator MITF in mouse ESCs. *Nat Commun*. 2017;8(1):1022.

Shetzer Y, Kagan S, Koifman G, Sarig R, Kogan-Sakin I, Charni M, Kaufman T, Zapatka M, Molchadsky A, Rivlin N, Dinowitz N, Levin S, Landan G, Goldstein I, Goldfinger N, Pe'er D, Radlwimmer B, Lichter P, Rotter V, Aloni-Grinstein R. The onset of p53 loss of heterozygosity is differentially induced in various stem cell types and may involve the loss of either allele. *Cell Death Differ*. 2014;21(9):1419-1431.

Shetzer Y, Molchadsky A, Rotter V. Oncogenic Mutant p53 Gain of Function Nourishes the Vicious Cycle of Tumor Development and Cancer Stem-Cell Formation. *Cold Spring Harb Perspect Med*. 2016;6(10).

Shetzer Y, Napchan Y, Kaufman T, Molchadsky A, Tal P, Goldfinger N, Rotter V. Immune deficiency augments the prevalence of p53 loss of heterozygosity in spontaneous tumors but not bi-directional loss of heterozygosity in bone marrow progenitors. *Int J Cancer*. 2017;140(6):1364-1369.

Shetzer Y, Solomon H, Koifman G, Molchadsky A, Horesh S, Rotter V. The paradigm of mutant p53-expressing cancer stem cells and drug resistance. *Carcinogenesis*. 2014;35(6):1196-1208.

Shiloh R, Bialik S, Kimchi A. The DAPK family: a structure-function analysis. *Apoptosis*. 2014;19(2):286-297.

Shoval Y, Berissi H, Kimchi A, Pietrokovski S. New modularity of DAP-kinases: alternative splicing of the DRP-1 gene produces a ZIPK-like isoform. *PLoS One*. 2011;6(2):e17344.

Shoval Y, Pietrokovski S, Kimchi A. ZIPK: a unique case of murine-specific divergence of a conserved vertebrate gene. *PLoS Genet*. 2007;3(10):1884-1893.

Shriber P, Leitner-Dagan Y, Geacintov N, Paz-Elizur T, Livneh Z. DNA sequence context greatly affects the accuracy of bypass across an ultraviolet light 6-4 photoproduct in mammalian cells. *Mutat Res*. 2015;780:71-76.

Shulman Z, Cohen SJ, Roediger B, Kalchenko V, Jain R, Grabovsky V, Klein E, Shinder V, Stoler-Barak L, Feigelson SW, Meshel T, Nurmi SM, Goldstein I, Hartley O, Gahmberg CG, Etzioni A, Weninger W, Ben-Baruch A, Alon R. Transendothelial migration of lymphocytes mediated by intraendothelial vesicle stores rather than by extracellular chemokine depots. *Nat Immunol*. 2011;13(1):67-76.

Solomon H, Brauning B, Fainer I, Ben-Nissan G, Rabani S, Goldfinger N, Moscovitz O, Shakked Z, Rotter V, Sharon M. Post-translational regulation of p53 function through 20S proteasome-mediated cleavage. *Cell Death Differ*. 2017;24(12):2187-2198.

Solomon H, Buganim Y, Kogan-Sakin I, Pomeranec L, Assia Y, Madar S, Goldstein I, Brosh R, Kalo E, Beatus T, Goldfinger N, Rotter V. Various p53 mutant proteins differently regulate the Ras circuit to induce a cancer-related gene signature. *J Cell Sci*. 2012;125(Pt 13):3144-3152.

Solomon H, Dinowitz N, Pateras IS, Cooks T, Shetzer Y, Molchadsky A, Charni M, Rabani S, Koifman G, Tarcic O, Porat Z, Kogan-Sakin I, Goldfinger N, Oren M, Harris CC, Gorgoulis VG, Rotter V. Mutant p53 gain of function underlies high expression levels of colorectal cancer stem cells markers. *Oncogene*. 2018;37(12):1669-1684.

Solomon H, Sharon M, Rotter V. Modulation of alternative splicing contributes to cancer development: focusing on p53 isoforms, p53beta and p53gamma. *Cell Death Differ*. 2014;21(9):1347-1349.

Solomon O, Bazak L, Levanon EY, Amariglio N, Unger R, Rechavi G, Eyal E. Characterizing of functional human coding RNA editing from evolutionary, structural, and dynamic perspectives. *Proteins*. 2014;82(11):3117-3131.

Solomon O, Di Segni A, Cesarkas K, Porath HT, Marcu-Malina V, Mizrahi O, Stern-Ginossar N, Kol N, Farage-Barhom S, Glick-Saar E, Lerenthal Y, Levanon EY, Amariglio N, Unger R, Goldstein I, Eyal E, Rechavi G. RNA editing by ADAR1 leads to context-dependent transcriptome-wide changes in RNA secondary structure. *Nat Commun*. 2017;8(1):1440.

Solomon O, Oren S, Safran M, Deshet-Unger N, Akiva P, Jacob-Hirsch J, Cesarkas K, Kabesa R, Amariglio N, Unger R, Rechavi G, Eyal E. Global regulation of alternative splicing by adenosine deaminase acting on RNA (ADAR). *RNA*. 2013;19(5):591-604.

Stambolsky P, Tabach Y, Fontemaggi G, Weisz L, Maor-Aloni R, Siegfried Z, Shiff I, Kogan I, Shay M, Kalo E, Blandino G, Simon I, Oren M, Rotter V. Modulation of the vitamin D3 response by cancer-associated mutant p53. *Cancer Cell*. 2010;17(3):273-285.

Stambolsky P, Weisz L, Shats I, Klein Y, Goldfinger N, Oren M, Rotter V. Regulation of AIF expression by p53. *Cell Death Differ*. 2006;13(12):2140-2149.

Stein Y, Aloni-Grinstein R, Rotter V. Mutant p53-a potential player in shaping the tumor-stroma crosstalk. *J Mol Cell Biol*. 2019;11(7):600-604.

Stein Y, Aloni-Grinstein R, Rotter V. Mutant p53 oncogenicity: dominant-negative or gain-of-function? *Carcinogenesis*. 2020;41(12):1635-1647.

Stein Y, Rotter V, Aloni-Grinstein R. Gain-of-Function Mutant p53: All the Roads Lead to Tumorigenesis. *Int J Mol Sci*. 2019;20(24).

Stoler-Barak L, Barzilai S, Zauberman A, Alon R. Transendothelial migration of effector T cells across inflamed endothelial barriers does not require heparan sulfate proteoglycans. *Int Immunol*. 2014;26(6):315-324.

Stoler-Barak L, Moussion C, Shezen E, Hatzav M, Sixt M, Alon R. Blood vessels pattern heparan sulfate gradients between their apical and basolateral aspects. *PLoS One*. 2014;9(1):e85699.

Stoler-Barak L, Petrovich E, Aychek T, Gurevich I, Tal O, Hatzav M, Ilan N, Feigelson SW, Shakhar G, Vlodavsky I, Alon R. Heparanase of murine effector lymphocytes and neutrophils is not required for their diapedesis into sites of inflammation. *FASEB J*. 2015;29(5):2010-2021.

Swain U, Friedlander G, Sehrawat U, Sarusi-Portuguez A, Rotkopf R, Ebert C, Paz-Elizur T, Dikstein R, Carell T, Geacintov NE, Livneh Z. TENT4A Non-Canonical Poly(A) Polymerase

Regulates DNA-Damage Tolerance via Multiple Pathways That Are Mutated in Endometrial Cancer. *Int J Mol Sci.* 2021;22(13).

Tabach Y, Brosh R, Buganim Y, Reiner A, Zuk O, Yitzhaky A, Koudritsky M, Rotter V, Domany E. Wide-scale analysis of human functional transcription factor binding reveals a strong bias towards the transcription start site. *PLoS One.* 2007;2(8):e807.

Tabach Y, Milyavsky M, Shats I, Brosh R, Zuk O, Yitzhaky A, Mantovani R, Domany E, Rotter V, Pilpel Y. The promoters of human cell cycle genes integrate signals from two tumor suppressive pathways during cellular transformation. *Mol Syst Biol.* 2005;1:2005 0022.

Tal P, Eizenberger S, Cohen E, Goldfinger N, Pietrokovski S, Oren M, Rotter V. Cancer therapeutic approach based on conformational stabilization of mutant p53 protein by small peptides. *Oncotarget.* 2016;7(11):11817-11837.

Tanay A, Regev A. Scaling single-cell genomics from phenomenology to mechanism. *Nature.* 2017;541(7637):331-338.

Tang X, Milyavsky M, Goldfinger N, Rotter V. Amyloid-beta precursor-like protein APLP1 is a novel p53 transcriptional target gene that augments neuroblastoma cell death upon genotoxic stress. *Oncogene.* 2007;26(52):7302-7312.

Wallach D, Kang TB, Kovalenko A. The extrinsic cell death pathway and the elan mortel. *Cell Death Differ.* 2008;15(10):1533-1541.

Wallach D, Kang TB, Rajput A, Kim JC, Bogdanov K, Yang SH, Kovalenko A. Anti-inflammatory functions of the "apoptotic" caspases. *Ann N Y Acad Sci.* 2010;1209:17-22.

Wallach D, Kang TB, Yang SH, Kovalenko A. The in vivo significance of necroptosis: lessons from exploration of caspase-8 function. *Cytokine Growth Factor Rev.* 2014;25(2):157-165.

Wallach D, Kovalenko A, Kang TB. 'Necrosome'-induced inflammation: must cells die for it? *Trends Immunol.* 2011;32(11):505-509.

Wei C, Han Y, Spitz MR, Wu X, Chancoco H, Akiva P, Rechavi G, Brand H, Wun I, Frazier ML, Amos CI. A case-control study of a sex-specific association between a 15q25 variant and lung cancer risk. *Cancer Epidemiol Biomarkers Prev.* 2011;20(12):2603-2609.

Weinberger L, Ayyash M, Novershtern N, Hanna JH. Dynamic stem cell states: naive to primed pluripotency in rodents and humans. *Nat Rev Mol Cell Biol.* 2016;17(3):155-169.

Weiner A, Lara-Astiaso D, Krupalnik V, Gafni O, David E, Winter DR, Hanna JH, Amit I. Co-ChIP enables genome-wide mapping of histone mark co-occurrence at single-molecule resolution. *Nat Biotechnol.* 2016;34(9):953-961.

Weingarten-Gabbay S, Khan D, Liberman N, Yoffe Y, Bialik S, Das S, Oren M, Kimchi A. The translation initiation factor DAP5 promotes IRES-driven translation of p53 mRNA. *Oncogene.* 2014;33(5):611-618.

Weiss ID, Ella E, Dominsky O, Smith Y, Abraham M, Wald H, Shlomai Z, Zamir G, Feigelson SW, Shezen E, Bar-Shai A, Alon R, Izhar U, Peled A, Shapira OM, Wald O. In the hunt for therapeutic targets: mimicking the growth, metastasis, and stromal associations of early-stage lung cancer using a novel orthotopic animal model. *J Thorac Oncol.* 2015;10(1):46-58.

Weisz L, Damalas A, Lontos M, Karakaidos P, Fontemaggi G, Maor-Aloni R, Kalis M, Levrero M, Strano S, Gorgoulis VG, Rotter V, Blandino G, Oren M. Mutant p53 enhances nuclear factor kappaB activation by tumor necrosis factor alpha in cancer cells. *Cancer Res.* 2007;67(6):2396-2401.

Weisz L, Oren M, Rotter V. Transcription regulation by mutant p53. *Oncogene.* 2007;26(15):2202-2211.

Xiong S, Tu H, Kollareddy M, Pant V, Li Q, Zhang Y, Jackson JG, Suh YA, Elizondo-Fraire AC, Yang P, Chau G, Tashakori M, Wasylshen AR, Ju Z, Solomon H, Rotter V, Liu B, El-Naggar AK, Donehower LA, Martinez LA, Lozano G. Pla2g16 phospholipase mediates gain-of-function activities of mutant p53. *Proc Natl Acad Sci U S A.* 2014;111(30):11145-11150.

Yarom N, Shani T, Amariglio N, Taicher S, Kaplan I, Vered M, Rechavi G, Trakhtenbrot L, Hirshberg A. Chromosomal numerical aberrations in oral lichen planus. *J Dent Res.* 2009;88(5):427-432.

Yofe I, Dahan R, Amit I. Single-cell genomic approaches for developing the next generation of immunotherapies. *Nat Med.* 2020;26(2):171-177.

Yosef N, Zalckvar E, Rubinstein AD, Homilius M, Atias N, Vardi L, Berman I, Zur H, Kimchi A, Ruppin E, Sharan R. ANAT: a tool for constructing and analyzing functional protein networks. *Sci Signal.* 2011;4(196):pl1.

Zalcenstein A, Weisz L, Stambolsky P, Bar J, Rotter V, Oren M. Repression of the MSP/MST-1 gene contributes to the antiapoptotic gain of function of mutant p53. *Oncogene.* 2006;25(3):359-369.

Zalckvar E, Berissi H, Mizrachy L, Idelchuk Y, Koren I, Eisenstein M, Sabanay H, Pinkas-Kramarski R, Kimchi A. DAP-kinase-mediated phosphorylation on the BH3 domain of beclin 1 promotes dissociation of beclin 1 from Bcl-XL and induction of autophagy. *EMBO Rep.* 2009;10(3):285-292.

Zalckvar E, Bialik S, Kimchi A. The road not taken: a systems level strategy for analyzing the cell death network. *Autophagy.* 2010;6(6):813-815.

Zalckvar E, Yosef N, Reef S, Ber Y, Rubinstein AD, Mor I, Sharan R, Ruppin E, Kimchi A. A systems level strategy for analyzing the cell death network: implication in exploring the apoptosis/autophagy connection. *Cell Death Differ.* 2010;17(8):1244-1253.

Zeisel A, Kostler WJ, Molotski N, Tsai JM, Krauthgamer R, Jacob-Hirsch J, Rechavi G, Soen Y, Jung S, Yarden Y, Domany E. Coupled pre-mRNA and mRNA dynamics unveil operational strategies underlying transcriptional responses to stimuli. *Mol Syst Biol.* 2011;7:529.

Zhang M, Lai Y, Krupalnik V, Guo P, Guo X, Zhou J, Xu Y, Yu Z, Liu L, Jiang A, Li W, Abdul MM, Ma G, Li N, Fu X, Lv Y, Jiang M, Tariq M, Kanwal S, Liu H, Xu X, Zhang H, Huang Y, Wang L, Chen S, Babarinde IA, Luo Z, Wang D, Zhou T, Ward C, He M, Ibanez DP, Li Y, Zhou J, Yuan J, Feng Y, Arumugam K, Di Vicino U, Bao X, Wu G, Schambach A, Wang H, Sun H, Gao F, Qin B, Hutchins AP, Doble BW, Hartmann C, Cosma MP, Qin Y, Xu GL, Chen R, Volpe G, Chen L, Hanna JH, Esteban MA. beta-Catenin safeguards the ground state of mouse pluripotency by strengthening the robustness of the transcriptional apparatus. *Sci Adv.* 2020;6(29):eaba1593.

Ziv O, Diamant N, Shachar S, Hendel A, Livneh Z. Quantitative measurement of translesion DNA synthesis in mammalian cells. *Methods Mol Biol*. 2012;920:529-542.

Ziv O, Geacintov N, Nakajima S, Yasui A, Livneh Z. DNA polymerase zeta cooperates with polymerases kappa and iota in translesion DNA synthesis across pyrimidine photodimers in cells from XPV patients. *Proc Natl Acad Sci U S A*. 2009;106(28):11552-11557.

Ziv O, Zeisel A, Mirlas-Neisberg N, Swain U, Nevo R, Ben-Chetrit N, Martelli MP, Rossi R, Schiesser S, Canman CE, Carell T, Geacintov NE, Falini B, Domany E, Livneh Z. Identification of novel DNA-damage tolerance genes reveals regulation of translesion DNA synthesis by nucleophosmin. *Nat Commun*. 2014;5:5437.

Zviran A, Mor N, Rais Y, Gingold H, Peles S, Chomsky E, Viukov S, Buenrostro JD, Scognamiglio R, Weinberger L, Manor YS, Krupalnik V, Zerbib M, Hezroni H, Jaitin DA, Larastiaso D, Gilad S, Benjamin S, Gafni O, Mousa A, Ayyash M, Sheban D, Bayerl J, Aguilera-Castrejon A, Massarwa R, Maza I, Hanna S, Stelzer Y, Ulitsky I, Greenleaf WJ, Tanay A, Trumpp A, Amit I, Pilpel Y, Novershtern N, Hanna JH. Deterministic Somatic Cell Reprogramming Involves Continuous Transcriptional Changes Governed by Myc and Epigenetic-Driven Modules. *Cell Stem Cell*. 2019;24(2):328-341 e329.

PRESENTATIONS AND ABSTRACTS

Cohen-Saban N, Dahan R. Effect of FcγR pathways in the therapeutic antitumor activity of human anti-PD-L1 antibodies. Presented at Next Gen Immunology. Rehovot, Ha Merkaz, Israel, Feb 2-5, 2020.

Cohen-Saban N, Dahan R. Elucidating the role of human anti-PD-L1 antibodies Fc-dependent signaling in tumor therapy. Presented at the joint meeting of Israeli Immunological Society (IIS) and Israeli Society for Cancer Research (ISCR). Tel Aviv, Israel, Sep 23-25, 2019.

Cohen Y. Biobanking as a basis for personalized medicine program at Sheba Medical Center. Presented at the European, Middle Eastern, & Africa Society for Biopreservation & Biobanking (ESBB) conference, Leipzig, Germany, Oct 21-24, 2014.

Cohen Y. Biobanking on shoestring budget. Presented at the European, Middle Eastern, & Africa Society for Biopreservation & Biobanking (ESBB) conference. Verona, Italy, Oct 8-11, 2013.

Weinberger L, Manor YS, Hanna JH. Stem cell states - naïve to primed pluripotency [poster]. *Nat Rev Mol Cell Biol* 2015;16(7).

Yarom N, Amariglio N, Taicher S, Rechavi G, Trakhtenbrot L, Hirshberg A. Chromosomal numerical aberrations in oral lichen planus. Presented at the International Congress on Oral Cancer. Amsterdam, The Netherlands, May 17-20, 2007.

BOOK CHAPTERS, ETC.

Livneh Z. Insight into the molecular mechanism of translesion DNA synthesis in human cells using probes with chemically defined DNA lesions. In: Geacintov NE, Broyde S, eds. *The Chemical Biology of DNA Damage*. Weinheim, Germany: Wiley-VCH, 2009.